



<http://www.biodiversitylibrary.org/>

Hand-list of tender monocotyledons, excluding Orchideae, cultivated in the Royal Gardens, Kew. 1897.

London Printed for H.M. Stationery Off. by Eyre and Spottiswoode 1897
<http://www.biodiversitylibrary.org/bibliography/25695>

Item: <http://www.biodiversitylibrary.org/item/67471>

Article/Chapter Title: hand-list monocotyledons 1897

Page(s): Title Page, Text, Page 4, Page 5, Page 43, Page 45, Page 47, Page 49, Page 51, Page 53, Page 55, Page 57, Page 59, Page 61, Page 63, Page 65, Page 67, Page 69, Page 71, Page 73, Page 75

Contributed by: Gerstein - University of Toronto (archive.org)

Sponsored by: MSN

Generated 3 February 2014 1:24 PM
<http://www.biodiversitylibrary.org/pdf4/024108900067471>

This page intentionally left blank.

ROYAL GARDENS, KEW.

H A N D - L I S T

OF

TENDER MONOCOTYLEDONS,

Excluding Orchideæ,

CULTIVATED IN

THE ROYAL GARDENS, KEW.

1897.



L O N D O N :

SOLD AT THE ROYAL GARDENS, KEW.

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE
BY EYRE AND SPOTTISWOODE,

PRINTERS TO THE QUEEN'S MOST EXCELLENT MAJESTY.

1897.

~~Price Ninepence.~~

Price Eightpence.

86299/5
28/3/08

P R E F A C E.

THE present Hand List is another instalment of the complete enumeration of the plants cultivated in the Royal Gardens which it is hoped eventually to accomplish.

The scope of the contents of the Hand List, which are somewhat heterogeneous, is dictated in great measure by convenience. It includes large groups of plants of great scientific interest which, for various reasons, are more attractive to ordinary cultivators than many which are comprised necessarily in a botanical collection. For this reason it is hoped that it may be found not less useful than its predecessors.

A few words may be said as to the history at Kew of the more important of the groups now catalogued.

SCITAMINEÆ.

An order including Gingers, Arrowroot-plants, and Musas. It numbers some 450 species, of which 240 are in cultivation at Kew. Almost all are natives of the tropics. About 40 species are given in 1813 in the second edition of Aiton's *Hortus Kewensis*, and 139 by John Smith, curator of the Royal Gardens, 1841-63, in his privately printed *Records of Kew* (p. 222) as forming "the Kew collection between the years 1822 and 1864."

Musa Ensete, one of the most popular representatives of the family and a conspicuous ornament of the gardens

of Southern Europe, was first introduced into cultivation at Kew. In 1853 Walter Plowden, Esq., H.B.M. Consul at Massowah, Abyssinia, sent seeds from which plants were raised, one of which was ultimately figured in the *Botanical Magazine* (tt. 5223, 5224).

Strelitzia Reginae, a beautiful plant which almost certainly preserves an unbroken descent at Kew, was named by Sir Joseph Banks in honour of Queen Charlotte, who was a daughter of the Duke of Mecklenburg-Strelitz, but which, with characteristic modesty, he allowed the elder Aiton to publish. Banks had introduced it to the Royal Gardens in 1773 from the Cape of Good Hope.

Strelitzia Augusta was introduced in 1791 by Francis Masson, the botanical collector for the Royal Gardens, where it has been cultivated ever since. It may have been named in compliment to the Princess Augusta, mother of George III.

The collection is dispersed according to the habits of the plants and the different treatment they require, between the Palm House (No. I.), the Stove (No. IX.), and the Water Lily House (No. XV.). A few are represented in the Temperate House.

BROMELIACEÆ.

The order of which the Pine-apple is a familiar representative; the species are mostly epiphytal on trees and exclusively natives of the New World. According to Aiton's *Hortus Kewensis*, 16 species had been introduced at Kew previous to 1813. In 1864

Smith states (*Records*, p. 206) that the number amounted to nearly 100.

In *Appendix II.* to the *Kew Report* for 1878 a list of species cultivated at that time was given, numbering 147. The extent of the collection was much increased by the purchase in 1886 of a large selection from that formed by the late Professor Edouard Morren, of Liège, which was at the time probably the richest in existence. The number of species comprised in the present list amounts to 252.

Mr. J. G. Baker, F.R.S., the present Keeper of the Herbarium of the Royal Gardens, based his invaluable "*Handbook of the Bromeliaceæ*" (1889) in great measure on the Kew collection of living plants, supplemented by the unique collection of drawings also formed by Professor Morren and acquired by the Bentham Trustees for the Kew Library.

For many years the collection of *Bromeliaceæ* was grown in the Palm House. The atmosphere was, however, too dry for their successful cultivation, and in 1883 they were removed to the Stove (No. IX.) and Victoria House (No. X.).

CAPE BULBS.

The orders *Hæmodoraceæ*, *Irideæ*, *Amaryllideæ*, and *Liliaceæ*, though widely dispersed, are represented in especial profusion in South Africa, and the species from that part of the world are collectively often spoken of in cultivation as "Cape Bulbs." The sixth volume of the *Flora Capensis*, now in course of publication, is entirely devoted to their description.

Thaumatococcus, *Benth.*

T. Danielli, *Benth.* W. Trop. Africa.

Trachypodium,

T. dannelmannianum, *J. Braun and Schumann.*
W. Trop. Africa.

Urania, *Schreb.* See *Ravenala*.

U. speciosa, *Willd.* See *Ravenala madagascariensis*.

Zingiber, *Adans.*

Z. Casumunar, *Roxb.* India and Malaya. Bot. Mag.
t. 1426.

Z. chrysanthum, *Rosc.* Himalaya. Rosc. Scit. t. 86.

Z. Griffithii, *Baker.* Malacca.

Z. officinale, *Rosc.* Trop. Asia. Rosc. Scit. t. 83.

Z. spectabile, *Griff.* Malacca.

Z. wightianum, *Thw.* S. India.

Z. Zerumbet, *Smith.* India and Malaya. Rosc. Scit.
t. 84.

Var. *variegata*.

Bromeliaceae.

Acanthostachys, *Klotzsch.*

A. strobilacea, *Link.* Brazil.

Æchmea, *Ruiz & Pav.*

Æ. aurantiaca, *Baker.* Brazil.

Æ. aquilega, *Griseb.* W. Indies and Guiana.

Æ. aureo-rosea, *Baker.* Brazil.

Æ. Barleei, *Baker.* Brit. Honduras.

Æchmea—*cont.*

Æ. bracteata, *Griseb.* W. Indies.

Var. *pendula*, *Hort.*

Æ. brasiliensis, *Regel.* Brazil. *Gartenfl.* 1885, t. 1202.

Æ. bromeliaefolia, *Baker.* Trop. America. *Bot. Reg.* t. 766.

Æ. calyculata, *Baker.* Brazil. *Ref. Bot.* t. 286.

Æ. candida, *E. Morr.* Brazil.

Æ. coelestis, *E. Morr.* Brazil. *Ref. Bot.* t. 284.

Æ. coerulea, *E. Morr.* See *coerulescens*.

Æ. coerulescens, *Baker.* Mexico. *Gartenfl.* t. 694.

Æ. (Canistrum) cyathiformis, (*Vell.*) Brazil.

Æ. dealbata, *E. Morr.* Brazil.

Æ. discolor, *Hook.* See *fulgens*.

Æ. distichantha, *Lem.* Paraguay. *Bot. Mag.* t. 5447.

Æ. drakeana, *Andrè.* Ecuador.

Æ. fasciata, *Baker.* Brazil. *Bot. Reg.* t. 1130.

Var. *micrantha*.

Æ. flexuosa, *Baker.* See *spectabilis*.

Æ. floribunda, *Mart.* Brazil.

Æ. fulgens, *Brong.* French Guiana.

Var. *discolor*, *Brong.* *Bot. Mag.* t. 4293.

Æ. gigantea, *Baker.* Trop. America.

Æ. Glaziovii, *Baker.* Brazil. *Belg. Hort.* 1881, 271, t. 13.

Æ. glomerata, *Hook.* Brazil. *Bot. Mag.* t. 5668. X

Æ. Jenmani, *Baker.* See *Melinonii*.

Æ. legrelliana, *Baker.* See *Ortgiesia legrelliana*.

Æ. Leopoldii, *Hort.* See *fasciata*.

Æchmea—*cont.*

- Æ. Lindeni*, *K. Koch.* Brazil. Bot. Mag. t. 6565.
Æ. lineata, (*Hoplophytum lineatum*, Bull). Brazil.
Æ. luddemanniana, Brong. See *coerulescens*.
Æ. macracantha, Brong. See *schiedeana*.
Æ. Mariae-Reginae, *Wendl.* Costa Rica.
Æ. mexicana, *Baker.* Mexico.
Æ. odora, *Baker.* W. Indies and Guiana.
Æ. paniculata, *Ruiz & Pav.* Peru.
Æ. paniculigera, *Griseb.* Trop. America.
Æ. pectinata, *Baker.* Brazil.
Æ. pineliana, *Baker.* Brazil. Bot. Mag. t. 5321.
Æ. (Hoplophytum) Platzmanni, E. Morr. See *floribunda*.
Æ. pulchella, Morren. See *Glaziovii*.
Æ. robusta, *Hort. Morren.* South America.
Æ. rosea, *Baker.* Brazil. Belg. Hort. 1883, 195, t. 14.
Æ. schiedeana, *Schlecht.* Mexico.
Æ. Skinneri, *Baker.* Guatemala. Ic. Pl. 1851.
Æ. Sallieri, *Hort.*
Æ. Veitchii, *Baker.* Colombia. Bot. Mag. t. 6329.
Æ. Weilbachii, *Dietr.* Brazil. Bot. Mag. t. 6435.

Ananas, *Adans.*

- A. bracteatus*, *Lindl.* Brazil. Bot. Mag. t. 5025.
A. Mordilona, Hort. Lind. See *sativus* var. *lucidus*.
A. microcarpus, Hort. Lind. See *sativus* var. *microcephalus*.

Ananas—cont.

A. sativus, *Lindl.* Trop. America.

Var. *lucidus*, *Miller*.

Var. *microcephalus*.

Var. *porteanus*, (*K. Koch*).

Var. *variegatus*, (*Bojer*).

Anoplophytum, *Beer*. See *Tillandsia*.

Bakeria, *André*.

B. tillandsioides, *André*. Brazil? *Rev. Hort.* 1889, 84.

Billbergia, *Thunb.*

B. amabilis, *Beer*. See *vittata*.

B. amoena, *Lindl.* See *speciosa*.

B. Bakeri, *E. Morr.* Brazil. *Bot. Mag.* t. 6342.

B. breauteana, *André*. See *vittato-Bakeri*.

B. Bruantii, *André*. Garden hybrid (*decora* × *speciosa*).

B. Cappei, *E. Morr.* See *vittato-Bakeri*.

B. croyiana, *De Jonghe*. See *pyramidalis*.

B. decora, *Poepp.* Peru. *Bot. Mag.* t. 6937.

B. decoro-nutans, *Baker*. Garden hybrid.

B. discolor, *Beer*. See *speciosa*.

B. elegans, *Mart.* See *speciosa*.

B. Euphemiae, *E. Morr.* S. Brazil. *Bot. Mag.* t. 6632.

B. farinosa, *Hort.* See *zebrina*.

B. fastuosa, *Beer*. See *thyrsoides*.

B. horrida, *Regel.* Brazil. *Belg. Hort.* 1876, 336, t. 22.

Var. *superba*, *Hort.*

B. intermedia, *Hort.* Garden hybrid (*nutans* × *vittata*).

Billbergia —*cont.*

- B. iridifolia*, *Lindl.* Brazil. Bot. Reg. t. 1068.
B. liboniana, *De Jonghe.* Brazil. Bot. Mag. t. 5090.
B. Lietzei, *E. Morr.* Brazil. Belg. Hort. 1881, 97, t. 5.
B. marmorata, *Lem.* Brazil. Ill. Hort. t. 48.
B. moreliana, *Lindl.* See *vittata*.
B. Moreli, *Brong.* Brazil. Bot. Mag. t. 4835.
B. morreniana, *Baker.* Brazil.
B. nutans, *Wendl.* Brazil. Bot. Mag. t. 6423.
B. olens, *Hook.* See *Karatas Carolinae*.
B. pallescens, *K. Koch.* See *speciosa*.
B. pallescens, *Baker.* See *Bakeri*.
B. pallidiflora, *Liebm.* Nicaragua.
B. porteana, *Brong.* Brazil. Bot. Mag. t. 6670.
B. pyramidalis, *Lindl.* Brazil. Bot. Mag. t. 1732.
 Var. *bicolor*, *Lindl.* Bot. Reg. 1181.
 Var. *croyiana*, (*De Jonghe.*)
 Var. *farinosa*, (*K. Koch.*)
B. Rancougnei, *Hort.* Garden hybrid.
B. rhodocyanea, *Lem.* See *fasciata*.
B. rhodocyanea, *Hort.* See *thyrsoides*.
B. rosea, *Beer.* Brazil.
B. sanderiana, *E. Morr.* Brazil. Belg. Hort. 1884, t. 1.
B. Saundersii, *E. Morr.* Brazil. Belg. Hort. 1878, t. 1.
B. speciosa, *Thunb.* Brazil. Bot. Reg. t. 344.
 Var. *pallescens*, (*K. Koch.*)
B. splendida, *Lem.* See *thyrsoides*.

Billbergia—*cont.*

B. thyrsoidea, *Mart.* Brazil. Bot. Mag. t. 4756.

Var. *longifolia*, (*K. Koch & Bouché.*)

Var. *splendida*, (*Lemaire.*)

B. vittata, *Brong.* Brazil. Belg. Hort. 1871, 193, t. 14.

Var. *macracantha*, *Hort.*

B. vexillaria, *André.* Garden hybrid. (*thyrsoidea* × *moreliana.*)

B. vittato-Bakeri, *Hort.* Garden hybrid.

B. vittato-nutans, *Hort.* Garden hybrid.

B. Wetherelli, *Hook.* See *Moreli.*

B. Windi, *Hort.* See *vittato-nutans.*

B. wittmackiana. Garden hybrid. (*amoena* × *vittata.*)

B. zebrina, *Lindl.* Brazil. Bot. Mag. t. 2686.

Brocchinia, *Schultes*, f.

B. cordylinoides, *Baker.* Brit. Guiana. Gard. Chron. 1880, ii. 243, fig. 47.

Bromelia, *L.*

B. antiacantha, *Bert.* See *fastuosa.*

B. argentina, *Baker.* Brazil. Ic. Pl. 2258.

B. Binoti, *Hort.* See *Pinguin.*

B. commelyniana, *De Vriese.* See *fastuosa.*

B. fastuosa, *Lindl.* Brazil. Gartenfl. t. 493.

B. Karatas, *L.* See *Karatas Plumieri.*

B. Pinguin, *L.* Trop. America. Red. Lil. t. 396.

B. scarlatina, *E. Morr.* See *Distiacanthus scarlatinus.*

B. Sceptum, *Fenzl.* See *fastuosa.*

B. sylvestris, *Willd.* Trop. America.

Canistrum, E. Morr. See *Aechmea*.

Caraguata, Lindl.

C. andreana, E. Morr. Colombia. Bot. Mag. t. 7014.

C. angustifolia, Baker. Colombia.

C. cardinalis, André. W. Indies.

C. conifera, André. Ecuador. Bot. Mag. t. 7359.

C. devansayana, E. Morr. Ecuador. Belg. Hort. 1882, 113, t. 8.

C. Melinonis, E. Morr. French Guiana.

C. morreniana, André. Colombia. Rev. Hort. 1887, 12, with fig.

C. musaica, André. Colombia. Bot. Mag. t. 6675.

C. Peacockii, E. Morr. S. America.

C. Zahnii, Hook. f. Chiriqui. Bot. Mag. t. 6059.

Catopsis, Griseb.

C. aloides, Baker. Mexico.

C. nitida, Baker. W. Indies. Hook. Exot. Flora, t. 218.

C. pendula, Baker. Mexico.

Chevalieria, Gaud. See *Aechmea*.

Cryptanthus, Otto & Dietr.

C. acaulis, Beer. See *undulatus*.

Var. *argenteus*. See *discolor*.

C. Beuckeri, E. Morr. Brazil. Belg. Hort. 1881, 342, t. 1.

C. bivittatus, Regel. Brazil. Bot. Mag. t. 5270.

C. bromelioides, Otto & Dietr. Brazil.

C. discolor, Otto & Dietr. Brazil.

C. Moensii, Hort. See *bivittatus*.

Cryptanthus—*cont.*

C. undulatus, *Otto & Dietr.* Brazil. Bot. Reg. t. 1197.

Var. *ruber*.

C. zonatus, *Beer.* Brazil.

Disteganthus, *Lem.*

D. basilateralis, *Lem.* Guiana. Fl. des Serres, t. 227.

Distiacanthus, *Hort.*

D. scarlatinus, *Linden.* Brazil.

Dyckia, *Schultes.*

D. altissima, *Lindl.* Brazil. Lem. Jard. Fleur. t. 224.

D. brevifolia, *Baker.* Brazil. Ref. Bot. t. 236.

D. frigida, *Hook. f.* Brazil. Bot. Mag. t. 6294.

D. floribunda, *Griseb.* Argentina.

D. gigantea, *K. Koch.* See *altissima*.

D. leptostachya, *Baker.* Paràna.

D. princeps, *Lem.* See *altissima*.

D. rariflora, *Schultes.* Brazil.

Var. *remotiflora* (*Otto & Dietr.*). Bot. Mag. t. 3349.

D. regalis, *Linden.* See *frigida*.

D. remotiflora, *Otto & Dietr.* See *rariflora*.

D. sulphurea, *K. Koch.* Montevideo.

Echinostachys, *Brong.* See *Aechmea*.*Guzmannia*, *Ruiz. & Pav.*

G. devansayana, *E. Morr.* See *Caraguata devansayana*, t. 8.

G. erythrolepis, *Brong.* Cuba. Fl. des Serres, t. 1089.

G. Melinoki, *Regel.* See *Caraguata Melincnis*.

Guzmannia—*cont.*

G. Melinonis, E. Morr. See *Caraguata Melinonis*.

G. Sallieri, Hort. See *Aechmea cyathiformis*.

G. tricolor, Ruiz & Pav. W. Indies and S. America.
Hook. Exot. Flora. t. 163.

Hechtia, Klotzsch.

H. argentea, Baker. Mexico. Bot. Mag. t. 7460.

H. cordylinoides, Baker. See *stenopetala*.

H. Ghiesbreghtii, Lem. See *glomerata*.

H. glomerata, Zucc. Mexico. Bot. Mag. t. 5842.

H. longifolia, Hort. See *Bromelia fastuosa*.

H. stenopetala, Klotzsch. Mexico. Bot. Mag. t. 6554.

Hohenbergia, Schultes, f. See *Aechmea*.

Hoplophytum, Beer. See *Aechmea*.

Karatas, Adans.

K. acanthocrater, Baker. Brazil. Bot. Mag. t. 6904.

K. agavaefolia, Devans. Guiana.

K. amazonica, Baker. Brazil.

K. Carolinae, Antoine. Brazil. Bot. Mag. t. 5502.

K. coriacea, Antoine. Brazil.

K. cruenta, Baker. Brazil. Bot. Mag. t. 2892.

K. fulgens, Antoine. Brazil. Lem. Jard. Fleur. t. 411.

K. humilis, E. Morr. Mexico and Colombia. Rev.
Hort. 1878, 190, fig. 35.

K. Innocentii, Antoine. Brazil. Lem. Jard. Fleur. t. 329.

Var. *striata*, Hort.

K. marmorata, Baker. Brazil?

Karatas—*cont.*

K. Meyendorffii, Antoine. See princeps.

K. neglecta Baker. Brazil.

K. paxiana, (Mez.) Brazil.

K. Plumieri, E. Morr. Trop. America. Jacq. Amer. Pict. t. 260.

K. princeps, Baker. Brazil. Antoine. Brom. 54, t. 32.

K. purpurea, Antoine. Brazil. Antoine. Brom. 42. t. 25.

K. rutilans, Baker. Brazil.

K. Scheremetiewii, Antoine. Brazil. Gartenfl. t. 224.

K. spetabilis, Antoine. Brazil. Bot. Mag. t. 6024.

K. tristis, Baker. Brazil.

Lamprococcus, Beer. See Aechmea.

Macrochordium, De Vriese. See Aechmea.

Massangea, E. Morr. See Caraguata.

Melinonia, Brong. See Pitcairnia.

Neumannia, Brong. See Pitcairnia.

Nidularium, Lem. See Karatas.

Ortgiesia, Regel.

O. tillandsioides, Regel. Brazil and Uruguay. Gartenfl. 1867, 193, t. 547.

Pepinia, Brong. See Pitcairnia.

Pitcairnia, L'Herit.

P. albiflos, Herb. Brazil. Bot. Mag. t. 2642.

P. albucaefolia, Schrad. W. Indies.

P. alta, Hassk. W. Indies. Bot. Mag. t. 6606.

Pitcairnia—*cont.*

- P. Altensteinii*, *Lem.* Venezuela. Bot. Mag. t. 4241.
- P. andreana*, *Linden.* Venezuela and Colombia. Bot. Mag. t. 6480.
- P. angustifolia*, *Ait.* W. Indies. Bot. Mag. t. 1547.
- P. aphelandraeflora*, *Verschaff.* Brazil. Ill. Hort. 17. (1870) t. 5.
- P. arcuata*, *André.* Colombia. Rev. Hort. 1886, 108, fig. 23.
- P. australis*, *K. Koch.* See *Morelii*.
- P. bracteata*, *Dryand.* W. Indies. Bot. Mag. t. 2813.
- P. bromeliaefolia*, *L'Herit.* W. Indies. Bot. Mag. t. 834.
Var. *acuminata*.
- P. cernua*, *K. Koch.* See *heterophylla*.
- P. cinnabarina*, *Dietr.* Brazil.
- P. corallina*, *André.* Colombia. Bot. Mag. t. 6600.
- P. corcovadensis*, *Wawra.* Brazil.
- P. darblayana*, *Hort.* Garden hybrid.
- P. Decaisnei*, *K. Koch.* See *fulgens*.
- P. echinata*, *Hook.* Colombia. Bot. Mag. t. 4709.
- P. elata*, *Liebm.* Mexico.
- P. excelsa*, *E. Morr.* See *pulverulenta*.
- P. exscapa*, *Liebm.* See *heterophylla*.
- P. ferruginea*, *Ruiz & Pav.* Peru. Bot. Mag. t. 5324.
- P. flammea*, *Lindl.* Brazil. Bot. Reg. t. 1092.
- P. flavescens*, *Baker.* See *xanthocalyx*.
- P. floccosa*, *Regel.* Venezuela.

Pitcairnia—*cont.*

- P. fulgens*, *Decsne.* Guadeloupe.
- P. funckeana*, *Dietr.* S. America. Bot. Mag. t. 4705.
- P. furfuracea*, *Beer.* See *latifolia*.
- P. heterophylla*, *Beer.* Mexico. Bot. Mag. t. 4591.
- P. imbricata*, *Baker.* Mexico.
- P. karwinskiana*, *Schultes.* Mexico. Gartenfl. t. 53.
- P. Klabochorum*, *Hort.* See *pulverulenta*.
- P. latifolia*, *Soland.* W. Indies and Brazil. Bot. Mag. t. 856.
- P. Lehmanni*, *Baker.* S. America.
- P. lepidota*, *Regel.* See *andreana*.
- P. longifolia*, *Hook.* See *pulverulenta*.
- P. macrocalyx*, *Hook.* See *funckiana*.
- P. maidifolia*, *Dcsne.* S. America. Bot. Mag. t. 6635.
- P. Maroni*, *Hort.* Garden hybrid. (corallina $\times$ *Altensteinii*.)
- P. moritziana*, *K. Koch.* Venezuela.
- P. Morrenii*, *Lem.* See *heterophylla*.
- P. muscosa*, *Mart.* Brazil. Bot. Mag. t. 4770.
- P. odorata*, *Regel.* See *albiflos*.
- P. Olfersii*, *Link.* See *flammea*.
- P. paniculata*, *Ruiz & Pav.* See *pulverulenta*.
- P. Philippii*, *Baker.* Chili.
- P. pulverulenta*, *Ruiz & Pav.* Peru. Bot. Mag. t. 4775.
- P. punicea*, *Beer.* Mexico.
- P. recurvata*, *K. Koch.* Brazil?

Pitcairnia—cont.

P. ringens, Kl. See *karwinskiana*.

P. Roezlii, E. Morr. Peru. Belg. Hort. xxxv. 285, t. 18.

P. rubiginosa, Baker. French Guiana.

P. Skinneri, Hort. See *alta*.

P. spathacea, Griseb. Argentine.

P. staminea, Lodd. Brazil. Bot. Mag. t. 2411.

P. sulphurea, André. See *bracteata*.

P. tabulaeformis, Linden. Mexico. Belg. Hort. 1862, 257, fig. 15.

P. undulata, Schwied. Brazil. Gartenfl. t. 781.

P. undulatifolia, Hook. See *Altensteinii*.

P. xanthocalyx, Mart. Brazil. Bot. Mag. t. 6318. X

P. zeifolia, K. Koch. See *maidifolia*.

Pourretia, Ruiz & Pav. See *Puya*.

Puya, Molin.

P. chilensis, Molin. Chili. Bot. Mag. t. 4715.

P. coarctata, Fisch. See *chilensis*.

P. coerulea, Lindl. See *Pitcairnia coerulea*.

P. floccosa, Morr. See *Pitcairnia floccosa*.

P. Gigas, André. Colombia. Rev. Hort. 1881, 315, fig. 74.

P. paniculata, Philippi. See *Pitcairnia Philippii*.

P. spathacea, Mez. See *Pitcairnia spathacea*.

P. tunarensis, Mez. Bolivia.

P. Whytei, Hook. See *Pitcairnia coerulea*.

Quesnelia, *Gaud.*

Q. princeps, *Hort.* See *rufa*.

Q. rosea-marginata, *Carr.* See *rufa*.

Q. rufa, *Gaud.* Brazil. *Rev. Hort.* 1880, 70, fig. 14.

Rhodostachys, *Philippi.*

R. andina, *Philippi.* Chili. *Bot. Mag.* t. 7148.

R. argentina, *Baker.* See *Bromelia argentina*.

R. bicolor, *Benth.* Chili. *Belg. Hort.* 1873, t. 14.

R. littoralis, *Philippi.* Chili.

R. pitcairniaefolia, *Benth.* Chili. *Belg. Hort.* 1876, 161, t. 10.

Tillandsia, *L.*

T. aloides, *E. Morr.* See *Catopsis aloides*.

T. aloifolia, *Hook.* See *flexuosa*.

T. amethystina, *Baker.* Brazil. *Bot. Mag.* t. 7121.

T. anceps, *Lodd.* Trinidad. *Belg. Hort.* 1879, 368, t. 20.

T. argentea, *Griseb.* Cuba.

T. Barilletii, *Baker.* Ecuador. *Belg. Hort.* 1883, 33, t. 3.

T. bulbosa, *Hook.* S. America.

Var. *picta*, *Hook.* *Bot. Mag.* t. 4288.

Var. *variegata*, *Hort.*

T. Caput-Medusae, *E. Morr.* Mexico.

T. cardinalis. Garden hybrid (*psittacina* × *Krameri*).

T. carinata × *psittacina.* Garden hybrid.

T. chrysostachys, *Baker.* Peru. *Bot. Mag.* t. 6906.

T. confertiflora, *André.* Ecuador.

Tillandsia—*cont.*

- T. corallina*, *K. Koch.* Brazil. *Gartenfl.* 1870, 354, t. 671.
 Var. rosea.
- T. dianthoidea*, *Rossi.* Brazil. *Bot. Mag.* t. 5216.
- T. distachya*, *Baker.* Honduras.
- T. Duchartrei*, *Hort.* Garden hybrid. (*Barilletii* × *splendens*.)
- T. Duratii*, *Vis.* S. America.
- T. duvaliana*, *Baker.* Brazil. *Belg. Hort.* 1884, 105, t. 7.
- T. ensiformis*, *Vell.* Brazil.
- T. fenestralis*, *Hook.* Paràna. *Bot. Mag.* t. 6998.
- T. flexuosa*, *Sw.* S. America. *Hook. Exot. Flora.* t. 205.
- T. gladioliflora*, *Wendl.* Costa Rica. *Belg. Hort.* 1880. 87 and 216.
- T. glaucophylla*, *Baker.* Santa Martha. *Bot. Mag.* t. 4415.
- T. Glaziovii*, *E. Morr.* South Brazil.
- T. guttata*, *Baker.* Brazil. *Ill. Hort.* 1875, t. 200.
- T. Henricii*, *Hort.* Garden hybrid (*splendens* × *splendida*.)
- T. heterophylla*, *E. Morr.* *See virginalis.*
- T. hieroglyphica*, *Baker.* Brazil. *Ill. Hort.* t. 514.
- T. hillegeeriana*, *Hort.* *See regina.*
- T. imperialis*, *Hort.* *See regina.*
- T. incarnata*, *H. B. & K.* S. America.
- T. ionantha*, *Planch.* Mexico. *Bot. Mag.* t. 5892.
- T. ixioides*, *Griseb.* Paràna.
- T. Jonghei*, *K. Koch.* Brazil. *Bot. Mag.* t. 6945.

Tillandsia—cont.

T. Lindenii, *E. Morr.* Peru. Ill. Hort. t. 610.

Var. *minor*, *Hort.*

T. Malzinei, *Baker.* Cordova. Bot. Mag. t. 6495.

T. Mariae, *Hort.*

T. microxiphion, *Baker.* Monte Video. Bot. Mag. t. 7320.

T. Morrenii, *Baker.* Brazil.

T. musaica, André. See *Caraguata musaica*.

T. nitida, Hook. See *Catopsis nitida*.

T. Nanoti, *Hort.* Garden hybrid (*fulgida* × *Morrenii*).

T. (Vriesea) pastuchoffiana, *Mez.* Brazil.

T. picta, *Hort.* See *splendens*.

T. polystachya, *L.* S. America.

T. psittacina, *Hook.* Brazil. Bot. Mag. t. 2841.

T. pulchella, *Hook.* Brazil. Bot. Mag. t. 5229.

T. recurvifolia, *Hook.* See *dianthoidea*.

T. retroflexa, *E. Morr.* Garden hybrid (psittacina × scalaris.)

T. Rex, *Hort.* Garden hybrid. (*Barilletii* × *cardinalis*.)

T. rodigasiana, *Baker.* Brazil. Ill. Hort. 1882, t. 467.

T. Saundersii, *K. Koch.* Brazil. Ill. Hort. 1873, t. 132.

T. scalaris, *Baker.* Brazil. Belg. Hort. 1880, 309, t. 15.

T. (Vriesea) speciosa, *Hook.* See *splendens*.

T. splendens, *Brong.* Guiana. Bot. Mag. t. 4382.

T. splendida, *Hort.* Garden hybrid (*duvaliana* × *incurvata*).

T. streptophylla, *Sch.* Cent. America. Bot. Mag. t. 6757.

Tillandsia—cont.

T. stricta, Soland. S. America. Bot. Mag. t. 1529.

T. tessellata, Linden and André. Brazil. Ill. Hort. 1874, 123, t. 179.

T. tricolor, Cham. See punctulata.

T. usneoides, L. Trop. America. Bot. Mag. t. 6309.

T. viminalis, Hemsl. Costa Rica. Belg. Hort. 1878, 257, t. 14.

T. virginalis, E. Morr. Mexico.

T. xiphioides, Ker. S. America. Bot. Mag. t. 5562.

T. xiphostachys, Griseb. Mexico. Bot. Mag. t. 5287.

T. zebrina, Hort. See splendens.

Vriesea, Ldl. See Tillandsia.

Haemodoraceae.**Anigozanthos, Labill.**

A. bicolor, Endl. Australia.

A. flavida, D.C. Australia. Red. Lil. t. 176.

A. Manglesii, Don. Australia.

A. pulcherrima, Hook. Australia. Bot. Mag. t. 4180.

A. rufa, Labill. Australia. Bot. Mag. t. 4507.

A. tyrianthina, Hook. See rufa.

Cyanastrum, Oliver.

C. cordifolium, Oliver. W. Trop. Africa.

Cyanella, L.

C. capensis, L. S. Africa. Bot. Mag. t. 568.

C. coerulea, Eckl. See capensis.