A Partial Listing of the Plants for 1967-8

California Jungle Gardens



Guzmania zahnii (Colombia, Panama).* Very ornamental plant with stripe-like, papery, olive-green leaves pencil-striped maroon-red, the center tinted pink to coppery red; strong-branched inflorescence with pink to yellow bracts and white flowers. 5.00



Tillan dsia lindenii var. caeca. (The varietal name means blind, i.e., without a white eye.) *Attractive formal rosette of recurved linear channeled leaves green with red-brown pencil lines becoming more prominent toward base; inflorescence a long spike of flattened carminerose bracts with large royal-blue flowers of expanded open petals. \$3.50. In spike \$5.00.



Vriesa splendens. (B. Guiana). The Flaming Sword.*
Leathery rosette of slender bluish-green leaves marked with broad purple crossbands; underneath grayish with purple bands very bold; flower spike long and swordshaped with flattened fiery-red bracts and yellow flowers. \$5.00



Vriesea x 'Mariae.' The Painted Feather. A European-made hybrid between V. Barilletii and V. carinata. Many light green leaves in a full rosette. The tall spike is flattened to show bracts shading from a center section of red to chartreuse-yellow at the edges. The flowers are bright yellow tubes. Colorful for months. \$4.00

In spike \$5.00

This list of bromeliads is the part of our collection that appears to be in sufficient stock to fill orders for the year beginning in May of 1967. Selections from it will build a fine representative collection for most growers. We have many other kinds that are either not yet established or in sufficient supply to list now. If you are interested, write for supplemental list. Twenty-five years of bromeliad experience is in back of our collecting.

No charge for packing. Minimum order \$10.00. We usually ship by surface mail, transportation collect. If you prefer railway express, or air mail, let us know. We ship world-wide at all times of the year.

We carry other tropical plants besides bromeliads. These include palms and cycads in sizes practicable to ship, gingers (Hedychium), and a vast collection of staghorn ferns mounted, or in four-inch pots. Ask for special listings of these plants.

Our nursery is interesting to visit. Many of our lovely and beautiful specimens are too large to ship, but well worth seeing.

The greatest cultural error in growing bromeliads? In our observation, letting the plants be loose in their containers. Like orchids, staghorn ferns, and many other epiphytes, they like to be tightly held. Bromeliads hang on to their resting places with great tenacity, and must be torn off, or pried off, to capture them. Regardless of the medium used, pot firmly while maintaining drainage.

AECHMEA

- x 'Bert'. Stocky rosette of short leathery leaves matte green marked with irregular purplish-brown cross-bands, heavy dark spines; arching inflorescence with dense head of red bracts and pale flowers.*
- x 'Black Prince'. Very dark maroon under leaves and leaf margins. A strong handsome plant with many-berried, long-lasting spike.

 5.00
- x 'Burgundy'. Soft-leathery, tubular rosette with concave leaves bronzy-green to coppery-wine-red or burgundy, glossy on both sides, margined by red-brown upcurving spines; flowers milk-white with purple petals.*Frost hardy. 7.50
- caudata (S. E. Brazil). Robust rosette to 4 ft. high with leathery leaves 4 to 5 in. wide, glossy green, with weak marginal spines; inflorescence on wiry stem a pyramidal panicle with orange-yellow bracts and deep-yellow flowers.* 3.00
- caudata variegata (Brazil). Big sparry rosette of rich green stiff leaves broadly banded creamy-yellow; bold inflorescence with white-mealy stem and panicle of yellow bracts and golden-yellow flowers.*
- chantinii (Venezuela, Amazonas, Amazonian Peru). Colorful open rosette of hard olive-green leaves with pronounced pinkish-gray cross-bands; inflorescence on branched spike with tight red bracts tipped yellow subtended by red bract leaves.*
- coelestis (S. E. Brazil). Rosette of 12-20 narrow, leathery, gray-green leaves 18 in. long, with few marginal spines, the reverse with gray-white crossbands; paniculate inflorescense 12 in. long with yellowish bracts, white calyx and blue corolla petals. *
- distichantha (So. Brazil, Bolivia to Argentina). Upright dense rosette of stiff gray leaves; inflorescence a robust spike with faded rose bracts and purplish blue flowers.*

distichantha var. Glaziovii. A smaller plant with a more compact and leafy	
rosette. A fine improvement on the last.*	3.50
filicaulis (Venezuela). Open rosette with grass-green, thin-leathery, strap-	
shaped, oblanceolate leaves glossy on both sides and with dark mottling; tin	
soft marginal spines; long pendulous flowering panicles on snaky, string-	ıy
***	4 50
	4.50
fulgens discolor (Pernambuco). Free-growing rosette of soft-leathery dark	
olive-green leaves purple beneath, covered on both sides with glaucous gra-	У
crossbands; produces showy spikes with oval red berries tipped with violet	
	2.50
lasseri (Venezuela). Formal rosette of broad green leaves turning reddish in th	ne
sun; inflorescence a pendulous white flocculose spike with greenish-white	
	2.00
lueddemanniana var. rubra (So. America). Stiff rosette with metallic green lea	
mottled dark green and bronze base; flower spike with panicle of white ber	rice
Annual	
miniata x calyculata. A very useful and dependable plant. Easy to flower.	4.50
Clandon loathour tube of leaves and dependable plant. Easy to Hower,	
Slender, leathery tube of leaves, green above, purple beneath. The red,	
panicled spike surprises with bright yellow flowers.	4.00
miniata x weilbachii. An important hybrid because of frost tolerance, large	
bold size, beautiful shiny leaves, burgundy underneath, and large many-	
berried, long-lasting spike. A beautiful and outstanding bromeliad.	7.50
nudicaulis aureo-rosea (So. Brazil). Close rosette of soft leathery, glossy	
deep green foliage having a natural fold near base of leaf; small flower	
	2.00
orlandiana (Espiri to Santo). Showy rosette with bright yellow-green leaves wi	th
bizarre chocolate cross-banding and heavy black spines; arching orange spi	ka
residence and an arrangement of the state of	4.00
pectinata (Brazil: Rio to Santa Catarina). Attractive, shapely and robust, op	4. 00
rosette with broad, recurving leaves tapering to a point, green and shiny,	en
faintly darker mottled, the reverse with electronic, green and sniny,	
faintly darker mottled, the reverse with close gray pencil lines, margins with a few dark grings, the leaves by	avy
with a few dark spines, the leaves become tinged reddish pink in full light;	
inflorescence a dense, elongate head like a small pineapple with the termina	al
tuft of leaves, wholly green.*	3.00
penduliflora (Costa Rica to Peru). Epiphyte with straplike leaves glossy green	L
turning maroon in strong light; inflorescence a leaning spike with spreading	
panicle of whitish berries with blue flowers. Syn. Ae. schultesiana. *	3.00
purpurea-rosea (Rio de Janeiro). Hard tubular rosette deep green with pronou	nced
black spines; inflorescence a mealy-coated stem with long panicle of rosy-r	ed
n rante and laward and law flam the	3.00
racinae (Espirito Santo). 'Christmas Jewels,' so-called because of the strikin	~
orange-red berrylike inflorescence with yellow and black flowers, on pendar	.g
CIATO Chinte friandle and a 11 1 1 1	
ramosa (So. Brazil) Large symmetrical resetts commend to	3.00
ramosa (So. Brazil). Large symmetrical rosette composed of many leathery	_
medium green leaves coated with gray scurf; inflorescence a vermillion-rec	1
spike with loose panicle of greenish-yellow berries and yellow flowers.*	4.00
recurvata (Uruguay, So. Brazil). Glose rosette of lanceolate, dark green rigid	i.
leaves recurving, 12-15 in. long with violet base and spiny margins, silvery	y -
scaly beneath; inflorescence 8 in. high, protruding above foliage, nearly globular, with bracts and sepals red, petals red-purple.*	

AECHMEA

recurvata benrathii (Santa Catarina). Tillandsia-like small rosette with narrow	
channeled, recurved leaves, glossy dark green overlaid with silver dust;	
silvery spots beneath; inflorescence in center with bract leaves dark	
purplish-red and lavender flowers.*	00
x 'Tam Star'. Strong-growing and frost-hardy. Ae. distichantha crossed	
with a wine-leaved Aechmea for color and style. A wonderful accent for	
•	00
tillandsioides var. kienastii (No. Brazil, Venezuela, B. Guiana). Small	
epiphytic rosette with narrow, leathery, grayish leaves armed with marginal	
spines; inflorescence with serrated floral bracts green, yellowish or red;	
	50
victoriana discolor (Brazil: Espirito Santo). Attractive rosette found by	•
Foster growing on rocks near Victoria, which differs from the all apple-	
green leaves of the type by its bronzy-red color on the underside; inflorescen	ice
on erect spike, with minute floral bracts, sepals yellow with red tips and peta	
	00
victoriana. Like the last except without the bronze-red color of the underside. 2	
weilbachii leodiensis (Rio). Attractive rosette of oblanceolate coppery-green	,, 00
leaves wine-red beneath, and spined, inflorescence on panicle with glowing	
	50
	50
weilbachii. Like the last except the wine-red under leaves. 2.	50
BILLBERGIA	
euphemiae (So. Brazil). Stiff tubular plant with gray-scurfy, green leaves and	
	00
pyramidalis var. pyramidalis (Brazil). Vase-shaped rosette with thin-leathery,	
glaucous, dark green leaves, and faint gray banding beneath; inflorescence	
on upright cluster of scarlet flowers tipped blue; bract leaves red. Selected	
	00
pyramidalis 'Striata'. An attractive seedling clone raised by M. Foster 1950,	00
from the species collected in Brazil; has broad tomentose blue-green leaves	
not glabrous yellow-green as in the type and are striated and variegated at	
· · · · · · · · · · · · · · · · · · ·	
margins with cream; flowering in winter not summer as B. pyramidalis	00
	00
venezuelana. In our opinion the most spectacular of all the billbergia. The	
curving floral structure bursts downward like the display of a great sky-	
rocket. The lovely bracts are pink, the sepals white, and the petals	00
	00
x Windii. A delightful small, Belgium hybrid between decora and amoena.	
Flowers freely with intensely red bracts.	00
CANISTRUM	
ingratum x roseum. One of the great bromeliads that has been grown in So.	
Galifornia for the last 25 years. A well-grown plant is 3 ft. in diameter.	
The green leaves are beautifully mottled in dark green. Red spines along	
the leaf margins. The large plate-size floral resette is a beautiful	
mahogany-brown. Established offshoots.	-00-

HOHENBERGIA

stellata (Brazil, Venezuela). This large magnificent plant is the most ornamental of the genus. The many broad light-green leaves form an imposing rosette from which arises a rod-like spike producing a bizarre floral arrangement of compact imbricated dusters that are red-edged and from which bright blue flowers emerge. Most exotic, beautiful, and long lasting.

8.50

GUZMANIA

~ ~	£ 111 11 11 11 11 11 11 11 11 11 11 11 1	
	angustifolia (Panama). Short, sharply pointed, reddish leaves. The floral	
	structure develops as a crimson conc.*	-2.50
	berteroniana (Puerto Rico). Formal rosette of wine-red or sometimes fresh	
	green, thin leathery leaves with showy inflorescence in form of a tight	
	cylindrical head of scarlet bracts with yellow flowers.*	4.00
	dissitiflora (Costa Rico, Panama, Colombia). Shapely rosette with recurving	g
	linear leaves 1 to 3 ft. long, light green with fine length-stripes, the base brownish, dotted scaly beneath; erect inflorescence with bright red scape-	
	bracts and floral bracts, and tubular flowers with white petals. *	4.00
	Donnell-Smithii (Costa Rica). Dense rosette of long, narrow, red-penciled	5 00
	leaves. Beautiful floral structure on erect stalk.	5.00
	monastachia (tricolor) (W. Indies, C. America to Brazil). Formal rosette of thin-leathery bayonet shaped yellow-green leaves; inflorescence a stiff	
	spike with bracts salmon-red striped brown, and white flowers.*	4.00
	lingulata (C. America to Guiana, Para, Mato Grosso, Ecuador, Bolivia).	
	Striking epiphytical rosette from the rain forest, with smooth metallic gre	en
	leaves, forming a showy, raised head of leathery, brilliant fiery-red brace	ts,
	with a contrasting center of hooded, waxy orange-red inner floral bracts	
	tipped yellow to white, and with white flowers.*	6.00
	x lingulata magnifica. A magnificent epiphyte when the inflorescence develop	s
	its stalked star-like, raised 6 in. head of brilliant scarlet, leathery bract	s
	lasting from Nov. to April, flowers white; soft leaves green with reddish	
	lines.*	5.00
	lingulata minor. Small, clustering rosette of strap-like, thin-leathery,	
	yellowish green leaves, with maroon pencil lines starting at base and	
	diminishing toward tip; long floral bracts bright orange-red, and small	
	white flowers. *	3.00
-	musaica (Colombia). Showy rosette of broad pea-green leaves marked with	
	crossbands consisting of multiple wavy lines dark green to red-brown;	
	underneath purplish with lines much darker; flower spike with red-lined	
	bract leaves, the head with orange-red bracts, and golden flowers tipped	
	with white.* Small plants of this species.	3.50
	nicaraguensis. A medium sized plant with thin, longitudinal red stripes agai	nst
	the green leaves. A red cone of bracts forms first in the heart of the	
	rosette from which the spike breaks. A rarity.	4.00
	zahnii. See cover page.	5.00

NIDUL ARIUM

x 'Cloro-marechalii'. Open rosette of soft-spined coppery-green leaves; at blooming time the center cup is magenta-red and flowers white.* 6.00

NIDULARIUM	
Burchelli (Brazil). This plant climbs as do some of the Neoregelias. The	$\overline{}$
leaf rosettes are dull purple-red and grow up from the slender wire-like	
extensions of the trunk at intervals of every few inches. This plant	
should be mounted on a plaque or on a raft.	3.00
hybrida. European origin. Dull green, wide leaves. Secondary rosette a	
pretty orange red.	6.00
fulgens (S. E. Brazil). Showy rosette with numerous flattened shiny leaves	
pea green with dark mottling and conspicuous spines; inflorescence cup	4.00
in center bright crimson tipped nile-green, flowers blue.*	4.00
x 'Francois Spae'. A large plant entirely green and very striking at time of bloom when the center cup turns a brilliant rose-pink.	7.50
procerum var. kermesianum (Brazil). Large colorful plants. 20" in diam.	
Leaves wine-red beneath, green above.	4.00
x Madame Morobe. One of the great Belgium hybrids. A vigorous plant with	
the underside of the green leaves a beautiful purplish maroon. When in	
flower the central rosette is a long-lasting bright cerise.	10.00
x Souvenir de Casmir Morobé. Large wide-leaved rosette. The floral	
rosette a beautiful red.	7.50
innocentii var. innocentii (Brazil). Large showy rosettes of dark metallic	
purple to almost black; glossy beneath; the floral structure a cupped	5.00
rosette of rusty-red leaves with white flowers. * innocentii var. striatum (Brazil). Stocky rosette of broad light green recurve	=
leaves striped lengthwise with yellow-ivory; finely toothed margins; white	cu
flowers deep in carmine-tipped center cup. *	5.00
Innocentii var. Paxianum (Brazil). Open rosette with broad, lanceolate leave	es
to 3 ft. long, dilated at base, like soft parchment, waxy grass-green and	
edged with small green spines, reverse shining green; inflorescence on a	
l ft. stalk with striking purplish bract leaves, the floral bracts bright red	
with blue flowers.	3.00
Scheremetieuri. Numerous stiff narrow leaves. Secondary floral rosette	2 00
a wine-red.	3.00
NEODECELIA	
NEOREGELIA The following four species are dwarf types. They crawl around or	
climb with long wire-like stolons, and make delightful colonies.	
ampullacea (Brazil). Like an ampule. Small tubular form. Shiny green	
leaves. Suckers freely.	2.00
ampullacea var. tigrina. Very dwarf. Dull green leaves splotched in	
reddish-brown.	2.00
ampullacea var. punctitissima. Small rosette of shiny leaves heavily spotted	
and blotched with burgundy.	2.00
species. Thin narrow leaves with silver-gray frosting under leaf.	2.00
Carolinae (Brazil). An especially selected type of this well-known bromeliae	1.
A consistent and persistent plant to flower. The clarity, brilliance, and extent of the red of the leaves and rosette, and the suffused extension of the	16
color to the tips, makes this plant very exceptional.	6.50 ~
color to the tipo, makes this plant very exceptionar.	

NEOREGELIA macrosepala.	
NEOREGELIA Macrosepula. x 'Thelma Hodge'. A hybrid of unknown parentage and The greatest neoregelia	a.
that we have seen. 30 in. in diameter when well-grown. Broad leaves 3	~
in. in width. Easy to flower, and when it does the cerise red that suffuses	
the central rosette is of an intense brilliance.	10-80
carolinae 'Meyendorfii'. Broad rosette of flat olive green leaves with copper	77
tinting; at flowering time the inner leaves turn a dark maroon; flowers	у
lilac deep in center.*	5.00
microps. Slender, narrow red-wine leaves form an erect tube 20 in. high.	
'species 1885'. A species imported by Flandria Belgium, and noteworthy	3.00
because of the terrific bright color of lavender purple over olive green	
in good light: resette of broad, this leathers leave with his last	
in good light; rosette of broad, thin-leathery leaves with black spines and	.
some silvery scales outside, Possibly N. johannis rubra.*	5,00
zonata (Espirito Santo). Shapely rosette of hard-fleshy broad leaves olive gre	en
and heavily marbled and banded wine-red on both sides; flowers deep in	
center cushion, pale blue.*	2.50
TILLANDSIA	
aeranthos (syn. dianthoidea) (Uruguay, Argentina, Brazil). Branching, caule	escent
plant to 9 in. with broad but quickly tapering narrow, concave leaves, gray	/ish-
green with purplish tinting and silvery scurf; inflorescence spike with 5-20	
blue flowers and bracts purplish rose.*	1.00
brachycaulos. A small form of this variable plant. (So. Mexico and Central	
Am.) Xerophytic epiphyte, rosette 6 in. high, with numerous stiff, channe	eled,
recurving leaves 3/4 in. wide and to 10 in. long, red above at flowering tir	ne.
grayish-green beneath, minutely scurfy, and exceeding the short infloresce	ence.
a sessile head with leaf-like bracts, almost hiding the violet petals.	2-00
capitata (Mexico). Rosette with leathery, concave, tapering leaves recurving	_
light grayish-green covered with silvery coating, margins purplish-red; at	
blooming time foliage turns reddish, the inflorescence a green head the siz	ie.
of a fist, the flowers mostly covered by long tapering bracts.*	200
caput-medusae (Mexico and south). Attractive small rosette with bulb-like ba	E 6 '
thick channeled, tapering and twisting leaves glistening with silky-gray hair	re.
short panicles with pale blue flowers.*	2.50
decomposita (Brazil: Mato Grosso; Bolivia, Paraguay, Argentina). Curious	2.50
xerophytic epiphyte with elongate stem bearing narrow, rather rigid, silve	-
gray leaves curved in various directions and with tips spirally rolled;	r
inflorescence to 2 ft. long, with lavender, fragrant flowers.* Large plants	~···~
x 'Emilie'. Barry hybrid of T. lindenii var. caeca (all-blue flowers) x cyanea	· /.50
Of compact habit as in cyanea but inflorescence more slender with bracts o	•
iridescent watermelon pink: leaves maller with bracts o	t
iridescent watermelon pink; leaves yellow-green with basal section in contrasting red-brown. *	
	4.00
ionantha var. ionantha (Mexico). A diminutive round pompon of fine wire-like	
gray leaves. Very pretty and novel.	2.00
juncea (reed-like) (Florida, W. Indies, Mexico, Brazil to Peru). Erect roset	te
dense with numerous wiry-awl-shaped, concave leaves 1 ft. long, olive gre	en
tinged with copper, reverse covered with short silvery hair clusters; erect	
SDIKE /-ranked with gool hearts - 111 1 1	1.50

TILLANDSIA

lindenii var. caeca (Peru). (The varietal name means blind, i.e., without a	-
white eye.) Attractive formal rosette of recurved linear channeled leaves	
green with red-brown pencil lines becoming more prominent toward base;	
inflorescence a long spike of flattened carmine-rose bracts with large	
royal-blue flowers of expanded open petals. See front cover.	3.50
lindenii. The originally described species with large white eye in center of	
blue, expanded petals.	5.00
northecioides (Ecuador). A rare species. Thin flat, wire-like leaves spread	
12 in. The 12 in. spike produces white fragrant flowers that open into a	
three-petalled star.	2.50
Baileyii (Texas and Mexico). Long narrow twisting leaves arise from a	
bulbous base and to height of 12 in.	2.00
andicola (Argentina). Frost hardy. Small gray-brown terete, distichous leave	s. 2.00
flexuosa (So. Florida to So. Am.). Collected by us in Panama. Hard rosette	
with leaves starting off at the base with a twist, broad but tapering, thick	
leathery, concave, silvery gray over green, with indistinct silver bands	
outside; 2-ranked inflorescence with rose bracts and ruby flowers.*	2.50
	2.00
Gardneri (Argentina, So. Brazil). Very dense rosette of silvery scaly leaves.	•
Attractive short spike densely crowded with small silvery bracts.	
Rose petals.	3.00
vestita. Much like T. schiedeana but green with silvery scales.	2.00
unca (Argentina). Makes a small dark brown rosette resembling T. ionantha.	
Flowers on erect wire-like stalk.	2.00
	2.00
setacea. Much like T. juncea but silvery gray.	1.50
streptophylla (Mexico). Leaves in dense basal rosette with sharply recurved	
leathery leaves gradually tapering to a coiling tip; gray-green thickly cover	red
with silvery scurf, turning red-purple in strong light; branched inflorescen	
with rosy bracts and lilac flowers.*	2.00
karwinskyana (Mexico). Xerophytic rosette dense with 20-30 leaves 1 ft. long	[,
narrowed from a broad base 1 in. wide to a long-linear blade, light green	
and more smooth on the surface, scurfy on underside; the inflorescence a	
lax, wiry stalk bearing a simple, 2-ranked spike with glossy green sepals	
and lilac petals.*	2.00
schiedeana (Antilles, Mexico to Colombia). Stiff, gray, erect grass-like	
leaves; flowers on individual spikes, with snug red bracts and yellow	
flowers at tip.*	1.50
stricta (Brazil, Paraguay, Argentina, Guiana, Venez.). Small rosette become	
caulescent, with narrow, thin-leathery, tapering leaves recurving, green	
silvery scurf, and short-stalked inflorescence with red-tinged bracts and	
flowers deep violet turning to red.*	1.50
flabellata (Mexico). One of the finest Tillandsias. Large plant 15 in. wide,	1,00
with many slender, flat-green leaves from which arises an 18 in. spike	
with many branches of red bracts. Frost hardy, spectaular, and freely	
suckering	5.00 ~
a neverting	J. 00

T	T	T 1	ΓΑ	N	\mathbf{D}	C.	Δ٦
		1 1		l I V		. 7	_

TILLANDSIA
valenzuelana (wide distribution). Epiphytic rosette with recurving, rigid leaves
to 15 in. long, narrowly triangular, tapering from 1 in. wide to a slender
point, and covered with gray scales; the leafy inflorescence with inflated,
rose, scurfy bracts with spreading spikes having rosy sepals and lilac petals.*
PORTEA 2.50
petropolitana extensa (Espirito Santo, Rio). Slenderly tall rosette of yellow-
green leaves with black spines. Inflorescence a striking coral-red arching

purple, flowers lilac. The floral display lasts for months. QUESNELIA

arvensis (Sao Paulo). Formal rosette of leathery green leaves with gray crossbands and black spines; inforescence a thick stalk with dense head of rosepink bracts and blue and white flowers.* 4.50

stalk, the brilliant coloring extending to slender green ovaries, tipped

lateralis (Mts near Rio). A rarity in a small tubular form with delicate colorful panicle in blues and reds. 2.50

4.00

7.50

marmorata (Rio). Until recently called Aechmea marmorata. The Grecian Urn Plant. The tall, stiffly-tubular leaves are arranged in a distichous manner, growing in a single plane. The inflorescence is many-branched and colorful. Pink bracts, gray-green shading to bright blue ovaries; petals red. 3.00

quesneliana (French Guiana). Large, regular rosette of fresh-green leaves banded gray beneath, inflorescence a gray stalk with sheathing white bract leaves topped by a cylindrical head of shingled papery. rosv-red bracts dusted white, red calyx leaves, and petals white with blue edge.*

VRIESEA

barilletii (Ecuador). Small rosette of soft green leaves tinted copper and with the smooth edge of all Vriesias; inflorescence a flattened head of spreading bracts solid purple at base to purple-spotted and yellow top; yellow flowers.* 4.00

carinata (S. E. Brazil). 'Lobster Claws', a dainty plant with pale green foliage; flattened spike with spreading bracts deep yellow with crimson base, the yellow dotted green; flowers yellow.* 2.00

carinata variety, with 12 in. wire-like drooping spike. 2.00

ensiformis (Bahia to Santa Catarina). Rosette with pale green leaves tinted amethyst, erect inflorescence with spreading bright red bracts, yellow flowers.

ensiformis var. conferta (Brazil). A large green-leaved /5.00 impressive plant with a tall spike with closely rounded bracts of orange-red edged with yellow. Distinctly different in aspect from typical Vriesea. 7.50

erythrodactylon (S. E. Brazil). Dense rosette with a singularly beautiful inflorescence which was found growing in low rain-forest in the moist cool Serra do Mar above Santos; flattened spike green in center, curving out to spreading, coxcomb-like rose-pink tips.* 4.00

x 'Favorite' (ensiformis hybrid). Vigorously-growing rosette of shiny rich-green leaves; inflorescence a slender stem, usually branched, with maroon keel-shaped bracts darker than poelmannii, arranged separated along stalk, fl. yellow.* 5.00

fenestralis (Brazil). Compact rosette of broad recurved leaves arranged spirally, yellow-green leaves ornamented by numerous dark green lines and network of cross lines, purplish circles underside; sulphur yellow flowers scattered on 5.00 pale spike.* 10 in. diameter plants.

flammea. Species from So. America resembling somewhat Aechmea recurva	ta
var. Benrathii.	3.00
x 'flammea'. A European hybrid of large size, 20 in. diameter with many shi	iny
green leaves. Tall floral spike in orange and red.	5.00
x'gemma'. A free-flowering small edition of V. x 'Mariae'.	2.50
x'gigant'. Our plants of this European hybrid developed into two types,	
one much like Vriesea x 'Mariae' but with bright crimson bracts; the other	
with a bold 2 ft. spike with dull red bracts. Either type very handsome	
and free to spike.	5.00
glutinosa (Trinidad). Forming a rosette 2 ft. in diameter of erect, arching	3.00
thin-leathery linear leaves 12 in. long, smooth, fresh-green to jade green	
at base, with red-brown, more or less pronounced crossbands; inflorescen	\CA
with slender branches; flaming red bracts and spreading flowers.* A very	ice
fine species	6.00
guttata (So. Brasil). Small compact rosette of glaucous bluish-green leaves	0.00
liberally marked with maroon spots; inflorescence a pendant, lightly flatter	
	nea
spike of greenish beige bracts covered with silver pink bloom, flowers	3 50
lemon-yellow. *	3.50
hieroglphica (Espiroto Santo to Parana). 'King of Bromeliads', large epiphyti	
rosette with broad yellow-green leaves beautifully cross-banded with hiero	
marks dark green above and purplish-brown beneath; inflorescence a tall b	
spike with sulphur-yellow flowers.* 17 in. in diameter plant.	4.50 6.50
incurvata (S. E. Brazil). Light green rosette of soft leaves; the inflorescence	
a leaning stem with the bract head recurving upward, fleshy bracts red and	T .
edged with yellow; flowers yellow, important asset - frost tolerant in So. C	alif. 5.0(
edged with yellow; flowers yellow, important asset - frost tolerant in So. C x 'Komet'. A unique European hybrid. Sharply pointed leaves speckled with 1	alif. 5.0(brown.
edged with yellow; flowers yellow, important asset - frost tolerant in So. C x 'Komet'. A unique European hybrid. Sharply pointed leaves speckled with Bold spike is branched in yellows and orange.	alif. 5.0(brown. 4.00
edged with yellow; flowers yellow, important asset - frost tolerant in So. C x 'Komet'. A unique European hybrid. Sharply pointed leaves speckled with I Bold spike is branched in yellows and orange. x 'Mariae'. The Painted Feather. A European-made hybrid between V. Bari	alif. 5.0(brown. 4.00 lletii
edged with yellow; flowers yellow, important asset - frost tolerant in So. C x 'Komet'. A unique European hybrid. Sharply pointed leaves speckled with Bold spike is branched in yellows and orange. x 'Mariae'. The Painted Feather. A European-made hybrid between V. Bari and V. carinata. Many light green leaves in a full rosette. The tall spike	Calif. 5.0(brown. 4.00 lletii is
edged with yellow; flowers yellow, important asset - frost tolerant in So. C x 'Komet'. A unique European hybrid. Sharply pointed leaves speckled with Bold spike is branched in yellows and orange. x 'Mariae'. The Painted Feather. A European-made hybrid between V. Bari and V. carinata. Many light green leaves in a full rosette. The tall spike flattened to show bracts shading from a center section of red to chartreuse	Calif. 5.0(brown. 4.00 lletii is
edged with yellow; flowers yellow, important asset - frost tolerant in So. C x 'Komet'. A unique European hybrid. Sharply pointed leaves speckled with Bold spike is branched in yellows and orange. x 'Mariae'. The Painted Feather. A European-made hybrid between V. Bari and V. carinata. Many light green leaves in a full rosette. The tall spike flattened to show bracts shading from a center section of red to chartreuse yellow at the edges. The flowers are bright yellow tubes. Colorful for mo	talif. 5.0(brown. 4.00 lletii is - onths. 4.00
edged with yellow; flowers yellow, important asset - frost tolerant in So. C x 'Komet'. A unique European hybrid. Sharply pointed leaves speckled with Bold spike is branched in yellows and orange. x 'Mariae'. The Painted Feather. A European-made hybrid between V. Bari and V. carinata. Many light green leaves in a full rosette. The tall spike flattened to show bracts shading from a center section of red to chartreuse	talif. 5.0(brown. 4.00 lletii is - onths. 4.00
edged with yellow; flowers yellow, important asset - frost tolerant in So. C x 'Komet'. A unique European hybrid. Sharply pointed leaves speckled with Bold spike is branched in yellows and orange. x 'Mariae'. The Painted Feather. A European-made hybrid between V. Bari and V. carinata. Many light green leaves in a full rosette. The tall spike flattened to show bracts shading from a center section of red to chartreuse yellow at the edges. The flowers are bright yellow tubes. Colorful for mo	talif. 5.0(brown. 4.00 lletii is - onths. 4.00
edged with yellow; flowers yellow, important asset - frost tolerant in So. C x 'Komet'. A unique European hybrid. Sharply pointed leaves speckled with Bold spike is branched in yellows and orange. x 'Mariae'. The Painted Feather. A European-made hybrid between V. Bari and V. carinata. Many light green leaves in a full rosette. The tall spike flattened to show bracts shading from a center section of red to chartreuse yellow at the edges. The flowers are bright yellow tubes. Colorful for mox 'Morreniana'. (After Morren, not Moore.) Rosette of green leaves; copper	calif. 5.0(brown. 4.00 lletii is - onths. 4.00
edged with yellow; flowers yellow, important asset - frost tolerant in So. C x 'Komet'. A unique European hybrid. Sharply pointed leaves speckled with Bold spike is branched in yellows and orange. x 'Mariae'. The Painted Feather. A European-made hybrid between V. Bari and V. carinata. Many light green leaves in a full rosette. The tall spike flattened to show bracts shading from a center section of red to chartreuse yellow at the edges. The flowers are bright yellow tubes. Colorful for mox 'Morreniana'. (After Morren, not Moore.) Rosette of green leaves; copper orange spike. x perfecta. Many leaved large rosette. Branched, dense spike. Floral brac red. A very handsome plant.	calif. 5.0(brown. 4.00 lletii is - onths. 4.00
edged with yellow; flowers yellow, important asset - frost tolerant in So. C x 'Komet'. A unique European hybrid. Sharply pointed leaves speckled with Bold spike is branched in yellows and orange. x 'Mariae'. The Painted Feather. A European-made hybrid between V. Bari and V. carinata. Many light green leaves in a full rosette. The tall spike flattened to show bracts shading from a center section of red to chartreuse yellow at the edges. The flowers are bright yellow tubes. Colorful for mox 'Morreniana'. (After Morren, not Moore.) Rosette of green leaves; copper orange spike. x perfecta. Many leaved large rosette. Branched, dense spike. Floral brac red. A very handsome plant.	calif. 5.00 brown. 4.00 lletii is - onths. 4.00 cy- 4.00 ts
edged with yellow; flowers yellow, important asset - frost tolerant in So. C x 'Komet'. A unique European hybrid. Sharply pointed leaves speckled with Bold spike is branched in yellows and orange. x 'Mariae'. The Painted Feather. A European-made hybrid between V. Bari and V. carinata. Many light green leaves in a full rosette. The tall spike flattened to show bracts shading from a center section of red to chartreuse yellow at the edges. The flowers are bright yellow tubes. Colorful for mox 'Morreniana'. (After Morren, not Moore.) Rosette of green leaves; copper orange spike. x perfecta. Many leaved large rosette. Branched, dense spike. Floral brac	calif. 5.00 brown. 4.00 lletii is - onths. 4.00 cy- 4.00 ts
edged with yellow; flowers yellow, important asset - frost tolerant in So. C x 'Komet'. A unique European hybrid. Sharply pointed leaves speckled with Bold spike is branched in yellows and orange. x 'Mariae'. The Painted Feather. A European-made hybrid between V. Bari and V. carinata. Many light green leaves in a full rosette. The tall spike flattened to show bracts shading from a center section of red to chartreuse yellow at the edges. The flowers are bright yellow tubes. Colorful for mox 'Morreniana'. (After Morren, not Moore.) Rosette of green leaves; copper orange spike. x perfecta. Many leaved large rosette. Branched, dense spike. Floral brac red. A very handsome plant. petropolitana. A variable species. The spike is inflated. The orange floral bracts give the appearance of a goldfish.	Calif. 5.0(brown. 4.00 lletii is - onths. 4.00 Ty- 4.00 ts 6.00
edged with yellow; flowers yellow, important asset - frost tolerant in So. C x 'Komet'. A unique European hybrid. Sharply pointed leaves speckled with Bold spike is branched in yellows and orange. x 'Mariae'. The Painted Feather. A European-made hybrid between V. Bari and V. carinata. Many light green leaves in a full rosette. The tall spike flattened to show bracts shading from a center section of red to chartreuse yellow at the edges. The flowers are bright yellow tubes. Colorful for mo 'Morreniana'. (After Morren, not Moore.) Rosette of green leaves; copper orange spike. x perfecta. Many leaved large rosette. Branched, dense spike. Floral brac red. A very handsome plant. petropolitana. A variable species. The spike is inflated. The orange floral	Calif. 5.0(brown. 4.00 lletii is - onths. 4.00 cy- 4.00 ts 6.00 5.00
edged with yellow; flowers yellow, important asset - frost tolerant in So. C x 'Komet'. A unique European hybrid. Sharply pointed leaves speckled with Bold spike is branched in yellows and orange. x 'Mariae'. The Painted Feather. A European-made hybrid between V. Bari and V. carinata. Many light green leaves in a full rosette. The tall spike flattened to show bracts shading from a center section of red to chartreuse yellow at the edges. The flowers are bright yellow tubes. Colorful for mox 'Morreniana'. (After Morren, not Moore.) Rosette of green leaves; copper orange spike. x perfecta. Many leaved large rosette. Branched, dense spike. Floral brac red. A very handsome plant. petropolitana. A variable species. The spike is inflated. The orange floral bracts give the appearance of a goldfish. philippo-coburgii (Organ Mts, Estado do Rio). 20 in. large, wide, blue-green rosette, brown tipped. When flowering center rosette of small leaves turn	Calif. 5.0(brown. 4.00 lletii is - onths. 4.00 cy- 4.00 ts 6.00 5.00 n
edged with yellow; flowers yellow, important asset - frost tolerant in So. C x 'Komet'. A unique European hybrid. Sharply pointed leaves speckled with Bold spike is branched in yellows and orange. x 'Mariae'. The Painted Feather. A European-made hybrid between V. Bari and V. carinata. Many light green leaves in a full rosette. The tall spike flattened to show bracts shading from a center section of red to chartreuse yellow at the edges. The flowers are bright yellow tubes. Colorful for mox 'Morreniana'. (After Morren, not Moore.) Rosette of green leaves; copper orange spike. x perfecta. Many leaved large rosette. Branched, dense spike. Floral brac red. A very handsome plant. petropolitana. A variable species. The spike is inflated. The orange floral bracts give the appearance of a goldfish. philippo-coburgii (Organ Mts, Estado do Rio). 20 in. large, wide, blue-green rosette, brown tipped. When flowering center rosette of small leaves turn spectacular white. Tall, orange-bracted spike.	alif. 5.0(brown. 4.00 lletii is - onths. 4.00 ty- 4.00 ts 6.00 5.00 n a 7.50
edged with yellow; flowers yellow, important asset - frost tolerant in So. C x 'Komet'. A unique European hybrid. Sharply pointed leaves speckled with I Bold spike is branched in yellows and orange. x 'Mariae'. The Painted Feather. A European-made hybrid between V. Bari and V. carinata. Many light green leaves in a full rosette. The tall spike flattened to show bracts shading from a center section of red to chartreuse yellow at the edges. The flowers are bright yellow tubes. Colorful for mo x 'Morreniana'. (After Morren, not Moore.) Rosette of green leaves; copper orange spike. x perfecta. Many leaved large rosette. Branched, dense spike. Floral brac red. A very handsome plant. petropolitana. A variable species. The spike is inflated. The orange floral bracts give the appearance of a goldfish. philippo-coburgii (Organ Mts, Estado do Rio). 20 in. large, wide, blue-green rosette, brown tipped. When flowering center rosette of small leaves turn spectacular white. Tall, orange-bracted spike. x poelmannii. Vigorous, shapely rosette of light green leaves, with flattened a	alif. 5.0(brown. 4.00 lletii is - onths. 4.00 ty- 4.00 ts 6.00 5.00 n a 7.50
edged with yellow; flowers yellow, important asset - frost tolerant in So. Cx 'Komet'. A unique European hybrid. Sharply pointed leaves speckled with Bold spike is branched in yellows and orange. x 'Mariae'. The Painted Feather. A European-made hybrid between V. Bari and V. carinata. Many light green leaves in a full rosette. The tall spike flattened to show bracts shading from a center section of red to chartreuse yellow at the edges. The flowers are bright yellow tubes. Colorful for mox 'Morreniana'. (After Morren, not Moore.) Rosette of green leaves; copper orange spike. x perfecta. Many leaved large rosette. Branched, dense spike. Floral brack red. A very handsome plant. petropolitana. A variable species. The spike is inflated. The orange floral bracts give the appearance of a goldfish. philippo-coburgii (Organ Mts, Estado do Rio). 20 in. large, wide, blue-green rosette, brown tipped. When flowering center rosette of small leaves turn spectacular white. Tall, orange-bracted spike. x poelmannii. Vigorous, shapely rosette of light green leaves, with flattened a bracts crimson-red with greenish-yellow apex, yellow flowers.*	alif. 5.0(brown. 4.00 lletii is - onths. 4.00 ry- 4.00 ts 6.00 5.00 n a 7.50 spike,
edged with yellow; flowers yellow, important asset - frost tolerant in So. C x 'Komet'. A unique European hybrid. Sharply pointed leaves speckled with Bold spike is branched in yellows and orange. x 'Mariae'. The Painted Feather. A European-made hybrid between V. Bari and V. carinata. Many light green leaves in a full rosette. The tall spike flattened to show bracts shading from a center section of red to chartreuse yellow at the edges. The flowers are bright yellow tubes. Colorful for mox 'Morreniana'. (After Morren, not Moore.) Rosette of green leaves; copper orange spike. x perfecta. Many leaved large rosette. Branched, dense spike. Floral brack red. A very handsome plant. petropolitana. A variable species. The spike is inflated. The orange floral bracts give the appearance of a goldfish. philippo-coburgii (Organ Mts, Estado do Rio). 20 in. large, wide, blue-green rosette, brown tipped. When flowering center rosette of small leaves turn spectacular white. Tall, orange-bracted spike. x poelmannii. Vigorous, shapely rosette of light green leaves, with flattened is bracts crimson-red with greenish-yellow apex, yellow flowers.* A great European favorite.	alif. 5.0(brown. 4.00 lletii is - onths. 4.00 ty- 4.00 ts 6.00 5.00 n a 7.50 spike, 6.00
edged with yellow; flowers yellow, important asset - frost tolerant in So. C x 'Komet'. A unique European hybrid. Sharply pointed leaves speckled with Bold spike is branched in yellows and orange. x 'Mariae'. The Painted Feather. A European-made hybrid between V. Bari and V. carinata. Many light green leaves in a full rosette. The tall spike flattened to show bracts shading from a center section of red to chartreuse yellow at the edges. The flowers are bright yellow tubes. Colorful for mox 'Morreniana'. (After Morren, not Moore.) Rosette of green leaves; copper orange spike. x perfecta. Many leaved large rosette. Branched, dense spike. Floral bract red. A very handsome plant. petropolitana. A variable species. The spike is inflated. The orange floral bracts give the appearance of a goldfish. philippo-coburgii (Organ Mts, Estado do Rio). 20 in. large, wide, blue-green rosette, brown tipped. When flowering center rosette of small leaves turn spectacular white. Tall, orange-bracted spike. x poelmannii. Vigorous, shapely rosette of light green leaves, with flattened is bracts crimson-red with greenish-yellow apex, yellow flowers.* A great European favorite. x poelmannii var. ramifiée. A handsome variety, with a branched spike.	alif. 5.0(brown. 4.00 lletii is - onths. 4.00 ry- 4.00 ts 6.00 5.00 n a 7.50 spike,
edged with yellow; flowers yellow, important asset - frost tolerant in So. Cx 'Komet'. A unique European hybrid. Sharply pointed leaves speckled with Bold spike is branched in yellows and orange. x 'Mariae'. The Painted Feather. A European-made hybrid between V. Bari and V. carinata. Many light green leaves in a full rosette. The tall spike flattened to show bracts shading from a center section of red to chartreuse yellow at the edges. The flowers are bright yellow tubes. Colorful for mox 'Morreniana'. (After Morren, not Moore.) Rosette of green leaves; copper orange spike. x perfecta. Many leaved large rosette. Branched, dense spike. Floral brack red. A very handsome plant. petropolitana. A variable species. The spike is inflated. The orange floral bracts give the appearance of a goldfish. philippo-coburgii (Organ Mts, Estado do Rio). 20 in. large, wide, blue-green rosette, brown tipped. When flowering center rosette of small leaves turn spectacular white. Tall, orange-bracted spike. x poelmannii. Vigorous, shapely rosette of light green leaves, with flattened is bracts crimson-red with greenish-yellow apex, yellow flowers.* A great European favorite. x poelmannii var. ramifiée. A handsome variety, with a branched spike. x 'polonia'. One of the outstanding Vriesea hybrids. From a dainty, green	alif. 5.0(brown. 4.00 lletii is - onths. 4.00 ty- 4.00 ts 6.00 5.00 n a 7.50 spike, 6.00 6.00
edged with yellow; flowers yellow, important asset - frost tolerant in So. C x 'Komet'. A unique European hybrid. Sharply pointed leaves speckled with Bold spike is branched in yellows and orange. x 'Mariae'. The Painted Feather. A European-made hybrid between V. Bari and V. carinata. Many light green leaves in a full rosette. The tall spike flattened to show bracts shading from a center section of red to chartreuse yellow at the edges. The flowers are bright yellow tubes. Colorful for mox 'Morreniana'. (After Morren, not Moore.) Rosette of green leaves; copper orange spike. x perfecta. Many leaved large rosette. Branched, dense spike. Floral bract red. A very handsome plant. petropolitana. A variable species. The spike is inflated. The orange floral bracts give the appearance of a goldfish. philippo-coburgii (Organ Mts, Estado do Rio). 20 in. large, wide, blue-green rosette, brown tipped. When flowering center rosette of small leaves turn spectacular white. Tall, orange-bracted spike. x poelmannii. Vigorous, shapely rosette of light green leaves, with flattened is bracts crimson-red with greenish-yellow apex, yellow flowers.* A great European favorite. x poelmannii var. ramifiée. A handsome variety, with a branched spike.	alif. 5.0(brown. 4.00 lletii is - onths. 4.00 ty- 4.00 ts 6.00 5.00 n a 7.50 spike, 6.00 6.00

California Jungle Gardens Supplemental List of Bromeliads Not Included in 1967-1968 List

Areococcus flagellifolius	\$ 2.50	V riesea hybrid, maroon spike \$ 3.0	20
Aechmea cariocae	2.50	parabaica 2.0	
r cylindrata	4.00	vagans 2.5	
" fulgens	2.00	x 'sanderiana' 5.0	
had, gamesepala	3.00	fosteriana (small plants) 3.5	
x miniata x Weilbachii	6.00	Guzmania lingulata var. splendens	
x miniata x tristis	5.00	(formerly Peacockii) 5.(00
" nudicaulis	2.00	Guzmania lingulata var.	
pineliana	2.50	Amazonas (Peru) 5.0	00
platzmannii	3.00	Guzmania sanguinea (small	
pube s ce ns	3.00	plants) - the choice	
x 'Redwing'	5.00	Eucuadorean form) 6.00 3=	50
x 'Tam Star'	4.50	Streptocalyx Poeppegii 5.0	00
bromeliaefolia	2.50	Poitaei 5.0	00
caudata	2.50	longifolia 5.0) o
caudata - selected		Tillandsia bergeri 1.0	0
variegated form	5.00	cyanea 5.0	0
lingulata	3.00	Quesmea - a hybrid between	
Tessmannii	10.00	Aechmea and Quesnelia 5.0	0(
fasciata purpurea	6.00		
fasciata albo-marginata	15.00		
serrata	8.00		
Bromelia balansae	5.00		
Billbergia Euphemiae	2.00		
pyramidalis var. striata	3.00		
leptopoda	1.50		
pyramidalis, selected			
'Broadview'	3.00		
Neoregelia carolinae var.			
meyendorfii	3.00		
chlorestricta	3.00		
johannis	4.00		
tristis	2.50		
tristis x carolinae	3.00		
spectabilis x pineliana	3.00		
x 'Vulcan' x			
chlorostricta	4.00		
spectabilis	2.50		
concentrica	3.50		
carolinae, brilliant	4 50		
purple suffusion	6.50		
olens	3.00		
Fascicularia bicolor	2.00		
Nidularium procerum	5.00		

Minimum order \$10.00; no packing charge.

1968
CYCADS IN SIZES PRACTICABLE TO SHIP

From	Australia	Container Size	Length of Leaves	Price
Lepidozar Macz	nia peroffskyana, formerly ozamia Denisonii	7 gal	30"	\$20.00
	nia stenomera	2 gal	24"	10.00
Wac To Zan		2 gal	811	12.50
11	lucida	2 gal	20"	15.00
	Reidlei (Fraseri)	2 gal	24"	10.00
11	paulii-guilielmii var. flexuosa	2 gal	811	7.50
11	heteromera	2 gal	811	7.50
11	spiralis	2 gal	18"	10.00
11	Moorei	2 gal	24!!	
11	Fawcettii	_	- -	12.50
11	diplomera	2 gal	10"	10.00
Bowenia spectabilis		2 gal	10''	12.50
20 woma s	bee tabilia	l gal	10"	15.00

From Mexico

Ceratozamia "Hilda" - a newly discovered species temporarily named after the collector's wife. The leaflets are arranged in spiral groups at intervals along the petiole, producing a unique, Oriental appearance. Priced according to size.

Inquire for Dioon, Zamia, and Ceratozamia in specimen sizes.

From Africa

Encephala	rtos transvenosus	2 ~~1	24	
11		2 gal	24"	25.00
	gratus	2 gal	24"	25.00
*11	ferox	2 gal	15"	25.00
11	lebomboensis	l gal	12"	20.00
Inquire ab	out many large exhibition spec	imens in a variety of	species.	
From	Asia			

Trom Asia			
Cycas siamensis " pectinata (comb-like) - from lower Himalayan foothills	l gal l gal	24" 24"	15.00 15.00
" media, Australia	2 gal	24"	20.00

CALIFORNIA JUNGLE GARDENS 11977 San Vicente Boulevard Los Angeles, Calif. 90049 (213) 472-4763

California Jungle Gardens Supplemental List of Bromeliads Not Included in 1967-1968 List

Areococcus flagellifolius	\$ 2.50	V riceca hybrid marcon spike	2 00
Aechmea cariocae	2.50	V riesea hybrid, maroon spike \$	
	4.00	parabaica	2.00
cylindrata		vagans	2.50
fulgens	2.00	x 'sanderiana'	5.00
gamesepala	3.00	fosteriana (small plants	
x miniata x Weilbachii	6.00	Guzmania lingulata var. splender	
x miniata x tristis	5.00	(formerly Peacockii)	5.00
nudicaulis	2.00	Guzmania lingulata var.	
pineliana	2.50	Amazonas (Peru)	5.00
platzmannii	3.00	Guzmania sanguinea (small	
pubescens	3.00	plants) - the choice	
x 'Redwing'	5.00	Eucuadorean form)	3.50
	00 4.50	Streptocalyx Poeppegii	5.00
bromeliaefolia	2.50	Poitaei	5.00
caudata	2.50	longifolia	5.00
caudata - selected		Tillandsia bergeri	1.00
variegated form	5.00	cyanea	5.00
lingulata	3.00	Quesmea - a hybrid between	
Tessmannii	10.00	Aechmea and Quesnelia	5.00
fasciata purpurea	6. 00		
fasciata albo-marginata	15.00		
serrata	8.00		
Bromelia balansae	5.00		
Billbergia Euphemiae	2.00		
pyramidalis var. striata	3.00		
leptopoda	1.50		
pyramidalis, selected			
'Broadview'	3.00	•	
Neoregelia carolinae var.			
meyendorfii	3.00	•	
chlo r o s tricta	3.00		
johannis	4.00		
tristis	2.50		
tristis x carolinae	3.00		
spectabilis x pineliana	3.00		
x 'Vulcan' x			
chlorostricta	4.00		
spectabilis	2.50		
concentrica	3.50		
carolinae, brilliant	3,30		
purple suffusion	6.50		
olens	3.00		
Fascicularia bicolor	2.00		
Nidularium procerum	5.00		
Middle Line broceram	J. 00		

Minimum order \$10.00; no packing charge.

1968

CYCADS IN SIZES PRACTICABLE TO SHIP

From	Australia	Container Size	Length of Leaves	Price
	nia peroffskyana, formerly	7 gal	30"	\$20.00
	ozamia Denisonii	2 gal	24"	10.00
Macrozan	nia stenomera	2 gal	811	12.50
11	lucida	2 gal	20"	15.00
11	Reidlei (Fraseri)	2 gal	24"	10.00
11	paulii-guilielmii var. flexuosa	2 gal	8"	7.50
11	heteromera	2 ga1	8"	7.50
11	spiralis	2 gal	18"	10.00
11	Moorei	2 gal	24"	12.50
11	Fawcettii	2 gal	10"	10.00
11	diplomera	2 gal	10''	
Bowenia s	•	l gal	10"	12.50 15.00

From Mexico

Ceratozamia "Hilda" - a newly discovered species temporarily named after the collector's wife. The leaflets are arranged in spiral groups at intervals along the petiole, producing a unique, Oriental appearance. Priced according to size.

Inquire for Dioon, Zamia, and Ceratozamia in specimen sizes.

From Africa

Encephalar	rtos transvenosus	2 gal	2411	25.00
11	gratus	2 gal	24"	
11	•	•		25.00
	ferox	2 gal	15"	25.00
11	lebomboensis	1 gal	12"	20.00
Inquire abo	out many large exhibition spe	cimens in a variety of	species.	

From Asia

Cycas siamensis '' pectinata (comb-like) - from lower Himalayan foothills	l gal	24"	15.00
	l gal	24"	15.00
" media, Australia	2 gal	24"	20.00

CALIFORNIA JUNGLE GARDENS
11977 San Vicente Boulevard
Los Angeles, Calif. 90049 (213) 472-4763

VRIESEA

- regina (Brazil: Distrito Federal). Giant, bold rosette of regular, elegant beauty, the broad concave, waxy green leaves densely specked with maroon dots toward base and underneath as well as along margins, pointed apex sharply recurved; inflorescence to 7 ft. high with 2-ranked spikes with rose bracts and white to yellow perfumed flowers.*
- rodigasiana (So. Brazil). Dwarf rosette of soft, dull green leaves with base tinged purple; inflorescence on branched stem with waxy lemon-yellow bracts and flowers.*

8.50

- simplex (Brazil). From a small green-leaved rosette emerges a pendant wirelike spike with widely spaced red floral bracts with yellow flowers. Resembles a section of an exotic bracelet.
- splendens (B. Guiana). The Flaming Sword. Leathery rosette of slender bluishgreen leaves marked with broad purple crossbands; underneath grayish with purple bands very bold; flower spike long and sword-shaped with flattened fiery-red bracts and yellow flowers.* See cover page. 5.00
- splendens 'Flammendes Schwert'. A cross between V. splendens 'Major' and var. longibracteata. 5.00
- splendens 'illustris'. A cross between V. splendens (see cover page) and V. splendens 'Flammendes Schwert'. 5.00
- vagans (S. E. Brazil). 'Vagabond plant', small rosette which sends out its offshoots from travelling stems, leaves light green with black bases; inflorescence a flattened spike with yellow and red bracts and yellow flowers. 3.50

WITTROCKIA

superba (S. E. Brazil). Large robust, well-formed rosette with leathery concave, yellow-green, waxy leaves tinged bronze and occasionally blotched dark green tipped by a crimson-red pointed apex, margins with prominent reddish teeth; the green inflorescence a cup as in Nidularium but slightly raised, with petals blue but completely enclosed by the sepals. Syn. Nidularium splendens.* 6.00

^{*}Where the plant name is followed by an asterisk the description has been taken by permission from EXOTICA 3, by Alfred Graf. This monumental pictorial Cyclopedia has 7,000 photographs, 231 in color, and countless drawings and descriptions. For sale by Julius Roehrs Company, Rutherford, New Jersey.

Every plant lover with a sunny window or a small glass house, or who lives in the semi-tropics, should have at least one dwarf banana. These plants are beautiful and graceful ornaments. Their wide green leaves contrast nicely with brightly colored bracts and fruits. They can be flowered in eight inch pots and are really dwarfs. In the Victorian age in Europe they were called table bananas as the entire fruiting plant was used to decorate a banquet table. All of these bananas have multiple stems and form small, pretty clumps.

For shipping, tubers or "stools" are sent, as the fragile banana leaves would be ruined in transit. Fully-leaved plants are available at the nursery.

THE TRUE DWARF BANANAS:

Musa coccinea (South China)	\$ 7.50
Musa sanguinea (Upper Burma)	\$10.00
Musa x velutina (Upper Burma)	
Musa Mannii (Upper Burma) Pink racts; black-flecked thin trunks.	\$10.00
Musa Beccari (Borneo)	-
Musa velutina (Upper Burma) Velvety fruit of shocking pink color.	\$7.50

Join the Bromeliad Society. Send \$5.00 to membership secretary, Mrs. Jeanne Woodbury, 1811 Edgecliff Drive, Los Angeles, Calif. 90026. Receive the only magazine devoted to bromeliads.



MUSA COCCINEA

The Very Best

New. Beautiful. Authoritative. Bromeliads in Color and their Culture. A production of the Bromeliad Society. Over 50 illustrations in color and complete information on growing and reproduction. Send \$5.95 for this valuable book.



Mr. Herbert H. Plever 172-34 133 Avenue Jamaica, New York 11434